postmetry

A

What's inside the newsletter from

Asus France

Sender	noreply@nedm.asus.com
Sector	High-tech & electronics
Emails read	1 campaign
Period	November 2026

Overall score

A 91/100 | B | C | D | E | F

The main finding

The published DMARC policy keeps out no impersonation on 1 campaign.

It is the first of 4 points to fix. The highest score is technical (100/100), the lowest deliverability (80/100), better than 4% of the 640 brands measured.

Marketing
1 campaign

November 2026 · calculated on 22 November

Compliance

95 /100

better than 99% of the 640 brands measured

Deliverability

80 /100

better than 4% of the 640 brands measured

Technical

100 /100

better than 90% of the 640 brands measured

Experience

95 /100

better than 99% of the 640 brands measured

4 points to fix

Each line leads to the criterion in its family, with the excerpt that establishes it and how to fix it.

To review

The published DMARC policy keeps out no impersonation

Criterion “DMARC policy that helps keep out some impersonation” · Deliverability · on 1 campaign

−15 pts
out of 15 in Deliverability

A _dmarc.<domain> TXT record declares the policy: v=DMARC1; p=quarantine; rua=mailto:… at the very least, p=reject once the sending sources are aligned.

To review

The message puts obstacles in the way of assistive technology

Criterion “The message stays readable with assistive technology” · Experience · measured on 1 campaign

−10 pts
out of 20 in Experience

Four fixes, all in the template: declare the message language on the <html> tag (lang="en" for an email in English), describe each content image in its alt attribute, mark layout tables with role="presentation", and write links that say where they lead rather than “click here”.

Secondary

No address allows a reply to the message

Criterion “The message says who is writing and under which rules” · Compliance · measured on 1 campaign

−5 pts
out of 15 in Compliance

The footer of the message names the sender (company name, postal address) and links to its privacy policy with a direct link to the website, not through a tracking domain.

Secondary

Some essential headers escape the signature

Criterion “A DKIM signature that covers what matters” · Deliverability · measured on 1 campaign

−1.7 pts
out of 5 in Deliverability

20 criteria met, including « No open-tracking pixel » and « DKIM signature validated ». They are listed in their family, below.

Every send, at the time it arrived

One dot per message received by our subscription since November. Tap a dot to open it; the arrows move from one send to the next.

Technical reading of the send of Nov. 9, 2026 →

1
campaign in 1 week
about one a week, in November

No fixed day
sending day
Monday leads, 1 of the 1 campaigns

18 h – 19 h
arrival window
1 of the 1 campaigns

9 Nov.
last send received
« Merci à notre communauté : retour sur la PGW 2026 »



Pixel ▢
Score 91

● campaign ○ transactional ● change observed ■ pixel present

Campaign 1 of 1

Monday 9 Nov., 18:25

Merci à notre communauté : retour sur la PGW 2026

Type Marketing campaign
Score 91 / 100
Pixel None

Sending day

Tap a bar to find its sends on the timeline.



Arrival time

Hour by hour, on the campaign received.



No change observed since November Each campaign is compared with the previous one, criterion by criterion.

Criteria in detail

The 24 criteria + 1 bonus

20 met · **3** partly met · **1** not met · **0** not observable



Compliance

These checks cover what the send imposes on the recipient and what it leaves them: measurement of their behaviour, ways to leave, tracking of their objection.

Tracking pixels: the CNIL rule Method, Compliance family

better than 99% of the 640 brands measured

The calculation · 95 pts out of 100 5 met · 1 partly met



Weight of each criterion in the score.

No open-tracking pixel — Met — 30 pts

No open-tracking pixel on a single campaign

30 points out of 30 — met on 1 of 1 campaign concerned.

Met when no tracking pixel is present. A single pixel is enough for the criterion not to be met on an email.

CNIL 14/04/2026·LIL art.82 · PM-PRIV-001 · The detection rule

Unsubscribing is possible and announced — Met — 15 pts

Unsubscribing is announced, in the header and in the body on a single campaign

15 points out of 15 — share of observations met across 1 campaign.

Met when the message announces unsubscribing in its headers, through a page rather than an email to write, and in its body. The detail says which of the two is missing. Not applicable to a transactional email.

What was measured — 2 met out of 2

- Unsubscribe announced in the header, through a page on a single campaign — Met
- Unsubscribe link in the body on a single campaign — Met

RFC 2369 · PM-PRIV-002

RFC 2369 — The Use of URLs as Meta-Syntax for Core Mail List Commands (https://www.rfc-editor.org/rfc/rfc2369)

The recipient keeps control over tracking — Met — 20 pts

The recipient keeps control over tracking on a single campaign

20 points out of 20 — share of observations met across 1 campaign.

Two measures: does the unsubscribe link go through a tracker, and does a separate path lead to a preference center or to refusing tracking? Neither establishes that a refusal succeeds — checking would require following the link, which would record a click on the sending platform's side. They describe the control left to the recipient, not the result they would get.

What was measured — 1 met out of 1

- Untracked unsubscribe link on a single campaign — Met
- A separate path leads to a preference center or to refusing tracking — Not applicable

CNIL 14/04/2026·Postmetry · PM-PRIV-003

The message says who is writing and under which rules

Partly met

10/15 pts

No address allows a reply to the message on the only campaign concerned (2 of 3 measures met)

10 points out of 15 — share of observations met across 1 campaign.

How to fix it

The footer of the message names the sender (company name, postal address) and links to its privacy policy with a direct link to the website, not through a tracking domain. These details go once into the base template and then appear in every send.

Nothing to lose: these lines already exist on the website; they only need to be carried over.

A commercial email must make it possible to identify the advertiser (CPCE, article L. 34-5), and the recipient must be able to know who processes their data. This indicator groups what a message can show of it.

What was measured — 2 met out of 3

- The message names its sender on a single campaign — Met
- No address allows a reply to the message on the only campaign concerned — Not met
- A link leads to the privacy policy on a single campaign — Met

CPCE L.34-5 · directive 2000/31 art.6 · CAN-SPAM · PM-PRIV-004

An untracked path leads to the site

Met

10 pts

An untracked path leads to the site on a single campaign

10 points out of 10 — met on 1 of 1 campaign concerned.

Met when at least one link in the message leads to the brand's site without going through a click counter.

Postmetry · PM-PRIV-005

No recipient identifier in the message

Met

10 pts

No recipient identifier in the message on a single campaign

10 points out of 10 — met on 1 of 1 campaign concerned.

Met when the recipient's address appears — neither in clear, nor encoded, nor hashed — in no URL and no proprietary header. Addressing headers do not count: they carry it by design.

Postmetry · RGPD art.4 en repère · PM-PRIV-020

Deliverability

80
out of 100

These checks read the authentication verdict set by our server when the message arrived. This verdict is dated by construction: we never recalculate it, which would query today's DNS rather than the DNS of the day the email was sent.

Gmail sender requirements ↗ (https://support.google.com/a/answer/81126)
Yahoo requirements ↗ (https://senders.yahooinc.com/best-practices/) Method, Deliverability family

better than 4% of the 640 brands measured

The calculation · 68 pts out of 85, scaled to 100

4 met · 1 partly met · 1 not met



Weight of each criterion in the score.

DKIM signature validated — Met — 20 pts

Valid DKIM signature on a single campaign

20 points out of 20 — met on 1 of 1 campaign concerned.

Met when our receiving server validated the DKIM signature of the email.

RFC 6376 · RFC 8601 · PM-DELIV-001
RFC 6376 — DomainKeys Identified Mail (DKIM) Signatures (https://www.rfc-editor.org/rfc/rfc6376)
RFC 8601 — Message Header Field for Indicating Message Authentication Status (https://www.rfc-editor.org/rfc/rfc8601)

DMARC alignment validated — Met — 20 pts

DMARC alignment verified on a single campaign

20 points out of 20 — met on 1 of 1 campaign concerned.

Met when the domain shown in the sender matches the one that authenticated the message.

RFC 9989 · PM-DELIV-002
RFC 9989 — Domain-Based Message Authentication, Reporting, and Conformance (DMARC) (https://www.rfc-editor.org/rfc/rfc9989)

DMARC policy that helps keep out some impersonation — Not met — 0 / 15 pts

DMARC policy in observation only on the only campaign concerned

0 points out of 15 — met on 0 of 1 campaign concerned.

How to fix it

A `_dmarc.<domain>` TXT record declares the policy: `v=DMARC1; p=quarantine; rua=mailto:…` at the very least, `p=reject` once the sending sources are aligned. The move happens in stages (`p=none` with reports, then `quarantine`, then `reject`) over a few weeks, reading the reports to find the tools that send on behalf of the domain.

A `none` policy prevents no spoofing of the domain; `quarantine` or `reject` closes the door and meets the Gmail and Yahoo requirements for bulk senders.

Met when the published policy is “reject” or “quarantine”. A “none” policy asks nothing of mail providers: it is published with no effect on messages that impersonate the domain.

RFC 9989 §4.7 · PM-DELIV-003 · RFC 9989 — section 4.7, “p” tag (https://www.rfc-editor.org/rfc/rfc9989#section-4.7)

No SPF failure — Met — 10 pts

No SPF failure on a single campaign

10 points out of 10 — met on 1 of 1 campaign concerned.

Met when SPF does not fail. An SPF “none” alongside a valid DKIM and DMARC is a common and legitimate configuration: it is not penalized.

RFC 7208 · PM-DELIV-004

RFC 7208 — Sender Policy Framework (SPF) for Authorizing Use of Domains in Email (https://www.rfc-editor.org/rfc/rfc7208)

One-click unsubscribe, as defined by RFC 8058 — Met — 15 pts

One-click unsubscribe as defined by RFC 8058 on a single campaign

15 points out of 15 — share of observations met across 1 campaign.

Met when the “List-Unsubscribe” header carries an https address and “List-Unsubscribe-Post” is exactly “List-Unsubscribe=One-Click”. This is what Gmail and Yahoo require of bulk senders: the mailbox's button then acts without opening a page. Not applicable to a transactional email.

What was measured — 2 met out of 2

- The unsubscribe header carries an https address on a single campaign — Met
- One-click unsubscribe announced on a single campaign — Met

RFC 8058 · Gmail et Yahoo · PM-DELIV-005

A DKIM signature that covers what matters — Partly met — 3.3/5 pts

Some essential headers escape the signature on the only campaign concerned (2 of 3 measures met)

3.3 points out of 5 — share of observations met across 1 campaign.

How to fix it

The signature uses `rsa-sha256` (or ed25519) with a 2048-bit key, without the `l=` tag (body length), and covers the `From`, `Subject`, `Date` and `List-Unsubscribe` headers in `h=`. These settings belong to the email platform or the SMTP server; the key is regenerated from the domain authentication page when it is too short.

A signature with `l=` or a 1024-bit key is still valid today, but it lets content be added after signing and will be refused by filters as they tighten.

What the signature covers, not only that it passes: an algorithm accepted by RFC 8301, the whole body signed, the From, Subject, Date and List-Unsubscribe headers signed, a signature not expired on receipt. Not applicable without a DKIM signature.

What was measured — 2 met out of 3

- Accepted signing algorithm on a single campaign — Met
- Whole body signed on a single campaign — Met
- Some essential headers escape the signature on the only campaign concerned — Not met
- Signature valid on receipt — Not applicable

RFC 6376·RFC 8301 · PM-DELIV-006



Technical

These checks cover what email clients actually do with the message: truncation, style blocks removed, resources never loaded. Each threshold states where it comes from: the documented behaviour of an email client, a specification, or our own method.

Support by email client (caniemail) ↗ (https://www.caniemail.com/) Method, Technical family

better than 90% of the 640 brands measured

The calculation · 85 pts out of 85, scaled to 100 — 6 met



Weight of each criterion in the score.

HTML under Gmail's clipping threshold — Met — 25 pts

HTML under Gmail's clipping threshold on a single campaign

25 points out of 25 — met on 1 of 1 campaign concerned.

Met when the HTML part stays under 102 KB. Beyond that, Gmail cuts off the end of the message — and the end is where the unsubscribe link and the notices are.

Gmail · PM-TECH-001

A shallow template — Met — 20 pts

Shallow template on a single campaign

20 points out of 20 — share of observations met across 1 campaign.

Met when layout tables are nested no more than 6 levels deep. Beyond that, the Word engine shared by desktop Outlook and the diverging clients each render the template their own way.

What was measured — 1 met out of 1

- Lightly nested layout tables on a single campaign — Met

Postmetry · PM-TECH-002

Well-formed HTML — Met — 15 pts

Well-formed HTML on a single campaign

15 points out of 15 — share of observations met across 1 campaign.

A doctype, a character set declared in the document, balanced tags and unique identifiers. Each client repairs incomplete markup its own way, which is what makes rendering unpredictable. End tags that HTML makes optional do not count.

What was measured — 4 met out of 4

- Doctype declared on a single campaign Met
- Character set declared in the HTML on a single campaign Met
- Balanced tags on a single campaign Met
- Unique identifiers on a single campaign Met

WHATWG · PM-TECH-030

Every link leads somewhere Met

10 pts

Every link leads somewhere on a single campaign

10 points out of 10 — met on 1 of 1 campaign concerned.

Met when no link is empty, reduced to "#" or written as "javascript:". Such a link leads nowhere, and most clients neutralise it. Not applicable if the message contains no link.

Postmetry · PM-TECH-031

No remote stylesheet Met

10 pts

No remote stylesheet on a single campaign

10 points out of 10 — met on 1 of 1 campaign concerned.

Met when the message calls no external stylesheet, through "link" or "@import". Several clients never load them. A font stylesheet does not count: without it, the text falls back to another font.

caniemail · PM-TECH-020 · <link> in an email — support by client (https://www.caniemail.com/features/html-link/)

The message follows the shape of an email Met

5 pts

The message follows the shape of an email on a single campaign

5 points out of 5 — share of observations met across 1 campaign.

Lines of 998 bytes at most, readable Message-ID and Date, a character set announced on every text part, a transfer encoding consistent with the content (RFC 5322, RFC 2045). Most servers tolerate these deviations, each in its own way.

What was measured — 5 met out of 5

- Lines of 998 bytes at most on a single campaign Met
- Well-formed Message-ID on a single campaign Met
- Readable date on a single campaign Met
- Character set announced on every text part on a single campaign Met
- Consistent transfer encoding on a single campaign Met

RFC 5322 · RFC 2045 · PM-TECH-010



Experience

Four questions about what becomes of the message once received: does it stay understandable, can the recipient still act, can a client render it, can a screen display it. Automatic detection only covers what is declared in the message.

WCAG 2.2 ↗ (https://www.w3.org/TR/WCAG22/) Method, Experience family

better than 99% of the 640 brands measured

The calculation · 95 pts out of 100 — 5 met · 1 partly met · 1 bonus



Weight of each criterion in the score.

The message makes sense without its images, from the inbox on — Met — 25 pts

The message reads without its images and announces itself in the inbox on a single campaign

25 points out of 25 — share of observations met across 1 campaign.

Met when the message keeps at least 200 readable characters with images blocked, and a preheader of 40 to 130 characters announces it in the message list. Without a preheader, the inbox shows the first text of the body instead — often “View in browser”.

What was measured — 2 met out of 2

- At least 200 characters remain readable with images blocked on a single campaign — Met
- Preheader of 40 to 130 characters on a single campaign — Met

Postmetry · PM-EXP-001

The message can be rendered outside HTML — Met — 15 pts

A text version renders the message on a single campaign

15 points out of 15 — share of observations met across 1 campaign.

Met when a text version comes with the email and carries the essentials: at least 60% of its text and 80% of its links. A client that does not display HTML falls back on it; reduced to “view the web version”, it renders nothing.

What was measured — 3 met out of 3

- A plain-text version accompanies the message on a single campaign — Met
- The text version carries at least 60% of the text on a single campaign — Met
- The text version carries at least 80% of the links on a single campaign — Met

Postmetry · PM-EXP-002

All links stay visible with images blocked — Met — 15 pts

All links stay visible with images blocked on a single campaign

15 points out of 15 — met on 1 of 1 campaign concerned.

Met when no link is carried by a single image without alternative text: such a link leaves nothing on screen. Not applicable if the message contains no links.

Postmetry · PM-EXP-003

Tap targets large enough — Met

10 pts

Tap targets of sufficient size on a single campaign

10 points out of 10 — met on 1 of 1 campaign concerned.

Met when no sized tap target falls below 24 px a side (WCAG 2.2, criterion 2.5.8). Only targets with a declared dimension are measured; the criterion's exceptions — a target within a line of text, sufficient spacing — are not. Not applicable if the message declares no dimensions.

WCAG 2.2 — 2.5.8 · PM-EXP-004

WCAG 2.2 — Target Size (Minimum), success criterion 2.5.8, level AA (https://www.w3.org/TR/WCAG22/#target-size-minimum)

The message stays readable with assistive technology — Partly met

10/20 pts

The message puts obstacles in the way of assistive technology — 2 of 4 measures met

10 points out of 20 — share of observations met across 1 campaign.

How to fix it

Four fixes, all in the template: declare the message language on the `<html>` tag (`lang="en"` for an email in English), describe each content image in its `alt` attribute, mark layout tables with `role="presentation"`, and write links that say where they lead rather than “click here”.

The criterion detail shows which ones are missing from your emails; the others are already met.

A decorative image — divider, spacer — keeps an empty `alt=""`: that is what keeps it silent, not an oversight.

Declared language, described content images, layout tables marked as such, link texts that say where they lead: what a screen reader needs to render the message. The detail says which of these measures is missing.

What was measured — 2 met out of 4

- Message language declared on a single campaign — Met
- Some content images are not described on the only campaign concerned — Not met
- Layout tables announced as data tables on the only campaign concerned — Not met
- Every link says where it leads on a single campaign — Met

WCAG 2.2 · RGAA · PM-EXP-005

HTML Standard — The lang and xml:lang attributes (https://html.spec.whatwg.org/multipage/dom.html#the-lang-and-xml:lang-attributes)

HTML Standard — Requirements for providing text to act as an alternative for images (https://html.spec.whatwg.org/multipage/images.html#alt)

The message declares its adaptation to screens — Met

15 pts

The message declares its adaptation to screens on a single campaign

15 points out of 15 — share of observations met across 1 campaign.

Met when the message declares its viewport and its adaptation to screen width. Without them, it displays on a phone at its original width, and is read by zooming and scrolling sideways.

What was measured — 2 met out of 2

- Viewport declared on a single campaign — Met
- Adaptation to screen width declared on a single campaign — Met

W3C · PM-EXP-026 · CSS Device Adaptation — the viewport tag (https://www.w3.org/TR/css-device-adapt-1/)

Media Queries Level 4 (https://www.w3.org/TR/mediaqueries-4/)

Dark mode declared

Bonus point earned

+5 pts

The message declares its support for dark mode on a single campaign

5 points out of 5 — met on 1 of 1 campaign concerned.

Earned when the message declares `color-scheme` or a `prefers-color-scheme` rule. No standard requires it — clients that force dark mode invert the colors themselves — but declaring it leaves control to the template rather than to the mail client.

caniemail · PM-EXP-027

Does this address really send Asus France's emails?

DKIM d=nedm.asus.com · SPF pass · DKIM pass · DMARC pass · 1 campaign

Across 1 campaign from Asus France received at our addresses, in November 2026:

From field	`noreply@nedm.asus.com` · 1 of 1
DKIM signing domain (d=)	`nedm.asus.com` · 1 of 1
Verdict on receipt	**SPF** pass · 1 of 1 **DKIM** pass · 1 of 1 **DMARC** pass · 1 of 1

The verdict is the one the receiving server wrote in the Authentication-Results header when the message arrived: it is read, never recomputed.

These findings describe the emails received at our addresses. They say nothing about a message received elsewhere: the From field can be written freely, and only the headers of the message you received show the path it took.

Sector comparison

High-tech & electronics — 37 brands with at least one campaign analyzed. The shares below are counted on them, never on the catalog.



Reading notes

How to read this page

01 **A criterion that is not observable or not applicable leaves the calculation.** It stays listed, never counted as zero: its weight leaves the denominator rather than weighing as a failure.

02 Each line describes an **observable finding**, with the excerpt that establishes it. No legal qualification is ever attached to it.

03 The measurements come from **deterministic analyzers**: the same message always gives the same result, and a disputed finding can be redone identically from the archive.

04 Every share is published **on an observed basis**, and names it: “26 of 30 brands analyzed.” A brand with no email received enters no denominator.

05 The **deliverability score is borrowed**: its verdict comes from the server that received the message. All the other families come from our own analyzers.

Does this analysis speak to you?

Let's go through it together, in 20 minutes.

We go over the 4 points with you, the evidence for each and the order in which to fix them. By video call, no commitment.

Pick a time slot : https://cal.com/noam-ouaknine-ecibnn/20min (https://cal.com/noam-ouaknine-ecibnn/20min)

Get Asus France's changes

One email when a criterion changes state, nothing else.

Do you work at Asus France?

Claim the brand: transactional emails, alerts, dated evidence.

The Pro version

Full history, before and after, alerts.

This report can also be read online, with a preview of each email:
https://postmetry.com/en/marque/asus-france/