postmetry

D

What's inside the newsletter from

# Diadora

| | |
|---|---|
| Sender | newsletter@email.diadora.com |
| Sector | Sports & outdoor |
| Emails read | 6 campaigns, 2 transactional |
| Period | November 2026 |

Our address received its first email in November 2026, after the CNIL recommendation was published (April 14, 2026).

Overall score

A B **C** 77/100 D E F

The main finding

## An open-tracking pixel is present on all 2 transactional messages.

It is the first of 4 points to fix. The highest score is deliverability (100/100), the lowest compliance (45/100), better than 69% of the 643 brands measured.

**Transactional**
2 messages

November 2026 · calculated on 23 November

### Compliance

**45** /100

better than 69% of the 643 brands measured

### Deliverability

**100** /100

better than 42% of the 642 brands measured

### Technical

**100** /100

better than 74% of the 643 brands measured

### Experience

**80** /100

better than 89% of the 643 brands measured

## 4 points to fix

Each line leads to the criterion in its family, with the excerpt that establishes it and how to fix it.

Priority

### An open-tracking pixel is present

Criterion “No open-tracking pixel” · Compliance · on all 2 transactional messages

**−35 pts**
out of 35 in Compliance

```
<img border="0" src="https://mn.diadora.com/nl/wb.gif?c=***&amp;fs=***&amp;h=**…
```

Open tracking is turned off in the tracking settings, at the campaign or account level.

Priority

### No separate path to refuse tracking

Criterion “The recipient keeps control over tracking” · Compliance · measured on 2 transactional messages

**−20 pts**
out of 20 in Compliance

A path separate from the unsubscribe link leads to a preference centre where the recipient can refuse tracking (opens, clicks) without unsubscribing.

To review

### Preheader missing, too short or too long

Criterion “The message makes sense without its images, from the inbox on” · Experience · measured on 2 transactional messages

**−12.5 pts**
out of 25 in Experience

A preheader of 40 to 130 characters, in real text, follows the subject in the inbox; every meaningful image has an alt attribute that says what it shows; the main message is in text, not inside an image.

Secondary

### The message cannot be rendered outside HTML

Criterion “The message can be rendered outside HTML” · Experience · measured on 2 transactional messages

**−7.5 pts**
out of 15 in Experience

**18 criteria met**, including « The message says who is writing and under which rules » and « DKIM signature validated ». They are listed in their family, below.

---

## Every send, at the time it arrived

One dot per message received by our subscription since November. Tap a dot to open it; the arrows move from one send to the next.


Technical reading of the send of Nov. 2, 2026 →

**6**
campaigns in 2 weeks
about 3 a week, in November

**Saturday**
favourite sending day
3 of the 6 campaigns

**11 h – 19 h**
arrival window
5 of the 6 campaigns

**21 Nov.**
last send received
« Diadora Club Week: ultimi giorni »




Campaign 6 of 6

Saturday 21 Nov., 10:05

## Diadora Club Week: ultimi giorni


Type Marketing campaign

Score 84 / 100

Pixel Present, detected by its size


### Sending day

Tap a bar to find its sends on the timeline.




### Arrival time

Hour by hour, on the 6 campaigns.




**No change observed since November** Each campaign is compared with the previous one, criterion by criterion.

## Criteria in detail

The 24 criteria + 1 bonus

**18** met · **2** partly met · **2** not met · **0** not observable · **2** not applicable




## Compliance

These checks cover what the send imposes on the recipient and what it leaves them: measurement of their behaviour, ways to leave, tracking of their objection.

Tracking pixels: the CNIL rule  Method, Compliance family

better than 69% of the 643 brands measured

**The calculation** · 45 pts out of 100

3 met · 2 not met · 1 not applicable




Weight of each criterion in the score.

### No open-tracking pixel

Not met

0/35 pts

Open-tracking pixel detected on the 2 transactional messages concerned

0 points out of 35 — met on 0 of 2 transactional messages concerned.

An invisible image tells the sending platform that the message was opened, when, and from which device: this is individual tracking of reading behavior, and the recipient sees none of it. The message does not say whether they consented or objected — that choice lives in the sending platform, not in the email.

Served from `diadora.com`.

The excerpt that establishes it

```
<img border="0" src="https://mn.diadora.com/nl/wb.gif?c=***&a
mp;fs=***&amp;h=***&amp;hpl=***&amp;i=***&amp;sn=***&amp;snm=
***" width="1" alt="" style="border: 0;outline: none;text-dec
oration: none;display:block !important;height:0 !important;"
height="1">
```

**How to fix it**

Open tracking is turned off in the tracking settings, at the campaign or account level. Look for “open tracking”.

Turning it off loses the open rate — a measure already largely distorted by mailbox privacy protections, which preload images — and changes nothing about the click rate.

Met when no tracking pixel is present. A single pixel is enough for the criterion not to be met on an email.

CNIL 14/04/2026 · LIL art.82 · PM-PRIV-001 · The detection rule

### Unsubscribing is possible and announced

Not applicable

not applicable

This measurement did not apply to any of the emails received. It **drops out of the denominator**: it is never counted as a failure.

Met when the message announces unsubscribing in its headers, through a page rather than an email to write, and in its body. The detail says which of the two is missing. Not applicable to a transactional email.

RFC 2369 · PM-PRIV-002

### The recipient keeps control over tracking

Not met

0/20 pts

No separate path to refuse tracking on the 2 transactional messages concerned (0 of 1 measures met)

0 points out of 20 — share of observations met across 2 transactional messages.

**How to fix it**

A path separate from the unsubscribe link leads to a preference centre where the recipient can refuse tracking (opens, clicks) without unsubscribing. Most email platforms offer this page; otherwise it goes in the template footer, with its own link, named for what it does ("manage my preferences", "refuse tracking").

The page takes an afternoon to set up and then serves every send. It is what the CNIL recommendation expects from an email that measures how its readers behave.

Two measures: does the unsubscribe link go through a tracker, and does a separate path lead to a preference center or to refusing tracking? Neither establishes that a refusal succeeds — checking would require following the link, which would record a click on the sending platform's side. They describe the control left to the recipient, not the result they would get.

What was measured — 0 met out of 1

- Untracked unsubscribe link — no emails concerned — Not observable
- No separate path to refuse tracking on the 2 transactional messages concerned — Not met

CNIL 14/04/2026 · Postmetry · PM-PRIV-003

### The message says who is writing and under which rules

Met

20 pts

The message says who is writing and under which rules on 2 transactional messages

20 points out of 20 — share of observations met across 2 transactional messages.

A commercial email must make it possible to identify the advertiser (CPCE, article L. 34-5), and the recipient must be able to know who processes their data. This indicator groups what a message can show of it.

What was measured — 3 met out of 3

- The message names its sender on 2 transactional messages — Met
- A reply to the message is possible on 2 transactional messages — Met
- A link leads to the privacy policy on 2 transactional messages — Met

CPCE L. 34-5 · directive 2000/31 art. 6 · CAN-SPAM · PM-PRIV-004

### An untracked path leads to the site

Met

15 pts

An untracked path leads to the site on 2 transactional messages

15 points out of 15 — met on 2 of 2 transactional messages concerned.

Met when at least one link in the message leads to the brand's site without going through a click counter.

Postmetry · PM-PRIV-005

### No recipient identifier in the message

Met

10 pts

No recipient identifier in the message on 2 transactional messages

10 points out of 10 — met on 2 of 2 transactional messages concerned.

Met when the recipient's address appears — neither in clear, nor encoded, nor hashed — in no URL and no proprietary header. Addressing headers do not count: they carry it by design.

Postmetry · RGPD art. 4 en repère · PM-PRIV-020

## Deliverability




These checks read the authentication verdict set by our server when the message arrived. This verdict is dated by construction: we never recalculate it, which would query today's DNS rather than the DNS of the day the email was sent.

Gmail sender requirements ↗ (https://support.google.com/a/answer/81126)

Yahoo requirements ↗ (https://senders.yahooinc.com/best-practices/) Method, Deliverability family

better than 42% of the 642 brands measured

**The calculation** · 70 pts out of 70, scaled to 100

5 met · 1 not applicable




Weight of each criterion in the score.

### DKIM signature validated — Met — 20 pts

Valid DKIM signature on 2 transactional messages

20 points out of 20 — met on 2 of 2 transactional messages concerned.

Met when our receiving server validated the DKIM signature of the email.

RFC 6376 · RFC 8601 · PM-DELIV-001

RFC 6376 — DomainKeys Identified Mail (DKIM) Signatures (https://www.rfc-editor.org/rfc/rfc6376)

RFC 8601 — Message Header Field for Indicating Message Authentication Status (https://www.rfc-editor.org/rfc/rfc8601)

### DMARC alignment validated — Met — 20 pts

DMARC alignment verified on 2 transactional messages

20 points out of 20 — met on 2 of 2 transactional messages concerned.

Met when the domain shown in the sender matches the one that authenticated the message.

RFC 9989 · PM-DELIV-002

RFC 9989 — Domain-Based Message Authentication, Reporting, and Conformance (DMARC) (https://www.rfc-editor.org/rfc/rfc9989)

### DMARC policy that helps keep out some impersonation — Met — 15 pts

Active DMARC policy on 2 transactional messages

15 points out of 15 — met on 2 of 2 transactional messages concerned.

Met when the published policy is “reject” or “quarantine”. A “none” policy asks nothing of mail providers: it is published with no effect on messages that impersonate the domain.

RFC 9989 §4.7 · PM-DELIV-003 · RFC 9989 — section 4.7, “p” tag (https://www.rfc-editor.org/rfc/rfc9989#section-4.7)

### No SPF failure — Met — 10 pts

No SPF failure on 2 transactional messages

10 points out of 10 — met on 2 of 2 transactional messages concerned.

Met when SPF does not fail. An SPF “none” alongside a valid DKIM and DMARC is a common and legitimate configuration: it is not penalized.

RFC7208 · PM-DELIV-004

RFC7208 — Sender Policy Framework (SPF) for Authorizing Use of Domains in Email (https://www.rfc-editor.org/rfc/rfc7208)

### One-click unsubscribe, as defined by RFC 8058

Not applicable

not applicable

This measurement did not apply to any of the emails received. It **drops out of the denominator**: it is never counted as a failure.

Met when the “List-Unsubscribe” header carries an https address and “List-Unsubscribe-Post” is exactly “List-Unsubscribe=One-Click”. This is what Gmail and Yahoo require of bulk senders: the mailbox's button then acts without opening a page. Not applicable to a transactional email.

RFC8058·Gmail et Yahoo · PM-DELIV-005

### A DKIM signature that covers what matters

Met

5 pts

The DKIM signature covers what matters in the message on 2 transactional messages

5 points out of 5 — share of observations met across 2 transactional messages.

What the signature covers, not only that it passes: an algorithm accepted by RFC 8301, the whole body signed, the From, Subject, Date and List-Unsubscribe headers signed, a signature not expired on receipt. Not applicable without a DKIM signature.

What was measured — 3 met out of 3

- Accepted signing algorithm on 2 transactional messages — Met
- Whole body signed on 2 transactional messages — Met
- Essential headers signed on 2 transactional messages — Met
- Signature valid on receipt — Not applicable

RFC6376·RFC8301 · PM-DELIV-006

---

100
out of 100

## Technical

These checks cover what email clients actually do with the message: truncation, style blocks removed, resources never loaded. Each threshold states where it comes from: the documented behaviour of an email client, a specification, or our own method.

Support by email client (caniemail) ↗ (https://www.caniemail.com/) Method, Technical family

better than 74% of the 643 brands measured

**The calculation** · 85 pts out of 85, scaled to 100

6 met




Weight of each criterion in the score.

### HTML under Gmail's clipping threshold

Met

25 pts

HTML under Gmail's clipping threshold on 2 transactional messages

25 points out of 25 — met on 2 of 2 transactional messages concerned.

Met when the HTML part stays under 102 KB. Beyond that, Gmail cuts off the end of the message — and the end is where the unsubscribe link and the notices are.

Gmail · PM-TECH-001

### A shallow template — Met — 20 pts

Shallow template on 2 transactional messages

20 points out of 20 — share of observations met across 2 transactional messages.

Met when layout tables are nested no more than 6 levels deep. Beyond that, the Word engine shared by desktop Outlook and the diverging clients each render the template their own way.

What was measured — 1 met out of 1

- Lightly nested layout tables on 2 transactional messages — Met

Postmetry · PM-TECH-002

### Well-formed HTML — Met — 15 pts

Well-formed HTML on 2 transactional messages

15 points out of 15 — share of observations met across 2 transactional messages.

A doctype, a character set declared in the document, balanced tags and unique identifiers. Each client repairs incomplete markup its own way, which is what makes rendering unpredictable. End tags that HTML makes optional do not count.

What was measured — 4 met out of 4

- Doctype declared on 2 transactional messages — Met
- Character set declared in the HTML on 2 transactional messages — Met
- Balanced tags on 2 transactional messages — Met
- Unique identifiers on 2 transactional messages — Met

WHATWG · PM-TECH-030

### Every link leads somewhere — Met — 10 pts

Every link leads somewhere on 2 transactional messages

10 points out of 10 — met on 2 of 2 transactional messages concerned.

Met when no link is empty, reduced to "#" or written as "javascript:". Such a link leads nowhere, and most clients neutralise it. Not applicable if the message contains no link.

Postmetry · PM-TECH-031

### No remote stylesheet — Met — 10 pts

No remote stylesheet on 2 transactional messages

10 points out of 10 — met on 2 of 2 transactional messages concerned.

Met when the message calls no external stylesheet, through "link" or "@import". Several clients never load them. A font stylesheet does not count: without it, the text falls back to another font.

caniemail · PM-TECH-020 · <link> in an email — support by client (https://www.caniemail.com/features/html-link/)

### The message follows the shape of an email Met

5 pts

The message follows the shape of an email on 2 transactional messages

5 points out of 5 — share of observations met across 2 transactional messages.

Lines of 998 bytes at most, readable Message-ID and Date, a character set announced on every text part, a transfer encoding consistent with the content (RFC 5322, RFC 2045). Most servers tolerate these deviations, each in its own way.

What was measured — 5 met out of 5

- Lines of 998 bytes at most on 2 transactional messages Met
- Well-formed Message-ID on 2 transactional messages Met
- Readable date on 2 transactional messages Met
- Character set announced on every text part on 2 transactional messages Met
- Consistent transfer encoding on 2 transactional messages Met

RFC 5322 · RFC 2045 · PM-TECH-010

---




## Experience

Four questions about what becomes of the message once received: does it stay understandable, can the recipient still act, can a client render it, can a screen display it. Automatic detection only covers what is declared in the message.

WCAG 2.2 ↗ (https://www.w3.org/TR/WCAG22/) Method, Experience family

better than 89% of the 643 brands measured

**The calculation** · 80 pts out of 100

4 met · 2 partly met · 1 bonus




Weight of each criterion in the score.

### The message makes sense without its images, from the inbox on Partly met

12.5/25 pts

Preheader missing, too short or too long on the 2 transactional messages concerned (1 of 2 measures met)

12.5 points out of 25 — share of observations met across 2 transactional messages.

**How to fix it**

A preheader of 40 to 130 characters, in real text, follows the subject in the inbox; every meaningful image has an `alt` attribute that says what it shows; the main message is in text, not inside an image. In the editor, the preheader is a dedicated field, and the `alt` is filled in image by image.

Half of readers see the message without images when it first opens. An `alt` and a preheader take a minute per campaign.

Met when the message keeps at least 200 readable characters with images blocked, and a preheader of 40 to 130 characters announces it in the message list. Without a preheader, the inbox shows the first text of the body instead — often “View in browser”.

What was measured — 1 met out of 2

- At least 200 characters remain readable with images blocked on 2 transactional messages Met
- Preheader missing, too short or too long on the 2 transactional messages concerned Not met

Postmetry · PM-EXP-001

### The message can be rendered outside HTML

Partly met

7.5/15 pts

No plain-text version accompanies the message (1 of 2 transactional messages concerned) (2 of 3 measures met)

7.5 points out of 15 — share of observations met across 2 transactional messages.

**How to fix it**

The text version (`text/plain`) comes with the HTML and carries the content and the links, not just a sentence saying "open this message in your browser". Email platforms generate it from the HTML when the option is on ("auto-generate plain text").

This is the version that watches, screen readers and some business clients read; spam filters also use it, comparing the two versions.

Met when a text version comes with the email and carries the essentials: at least 60% of its text and 80% of its links. A client that does not display HTML falls back on it; reduced to "view the web version", it renders nothing.

What was measured — 2 met out of 3

- No plain-text version accompanies the message (1 of 2 transactional messages concerned) — Partly met
- The text version carries at least 60% of the text on a single transactional message — Met
- The text version carries at least 80% of the links on a single transactional message — Met

Postmetry · PM-EXP-002

### All links stay visible with images blocked

Met

15 pts

All links stay visible with images blocked on 2 transactional messages

15 points out of 15 — met on 2 of 2 transactional messages concerned.

Met when no link is carried by a single image without alternative text: such a link leaves nothing on screen. Not applicable if the message contains no links.

Postmetry · PM-EXP-003

### Tap targets large enough

Met

10 pts

Tap targets of sufficient size on 2 transactional messages

10 points out of 10 — met on 2 of 2 transactional messages concerned.

Met when no sized tap target falls below 24 px a side (WCAG 2.2, criterion 2.5.8). Only targets with a declared dimension are measured; the criterion's exceptions — a target within a line of text, sufficient spacing — are not. Not applicable if the message declares no dimensions.

WCAG 2.2 — 2.5.8 · PM-EXP-004

WCAG 2.2 — Target Size (Minimum), success criterion 2.5.8, level AA (https://www.w3.org/TR/WCAG22/#target-size-minimum)

### The message stays readable with assistive technology

Met

20 pts

The message stays readable with assistive technology on 2 transactional messages

20 points out of 20 — share of observations met across 2 transactional messages.

Declared language, described content images, layout tables marked as such, link texts that say where they lead: what a screen reader needs to render the message. The detail says which of these measures is missing.

What was measured — 4 met out of 4

- Message language declared on 2 transactional messages Met
- Every content image is described on 2 transactional messages Met
- Layout tables marked as such on 2 transactional messages Met
- Every link says where it leads on 2 transactional messages Met

WCAG 2.2 · RGAA · PM-EXP-005

HTML Standard — The lang and xml:lang attributes (https://html.spec.whatwg.org/multipage/dom.html#the-lang-and-xml:lang-attributes)

HTML Standard — Requirements for providing text to act as an alternative for images (https://html.spec.whatwg.org/multipage/images.html#alt)

### The message declares its adaptation to screens

Met

15 pts

The message declares its adaptation to screens on 2 transactional messages

15 points out of 15 — share of observations met across 2 transactional messages.

Met when the message declares its viewport and its adaptation to screen width. Without them, it displays on a phone at its original width, and is read by zooming and scrolling sideways.

What was measured — 2 met out of 2

- Viewport declared on 2 transactional messages Met
- Adaptation to screen width declared on 2 transactional messages Met

W3C · PM-EXP-026 · CSS Device Adaptation — the viewport tag (https://www.w3.org/TR/css-device-adapt-1/)

Media Queries Level 4 (https://www.w3.org/TR/mediaqueries-4/)

### Dark mode declared

Bonus point not earned

+0 pts

The message does not declare its support for dark mode on the 2 transactional messages concerned

0 points out of 5 — met on 0 of 2 transactional messages concerned.

Earned when the message declares `color-scheme` or a `prefers-color-scheme` rule. No standard requires it — clients that force dark mode invert the colors themselves — but declaring it leaves control to the template rather than to the mail client.

caniemail · PM-EXP-027

---

## Does this address really send Diadora's emails?

DKIM d=email.diadora.com · SPF pass · DKIM pass · DMARC pass · 2 transactional

Across 2 transactional messages from Diadora received at our addresses since November 2026:

| | |
|---|---|
| From field | `newsletter@email.diadora.com` · 2 of 2 |
| DKIM signing domain (d=) | `email.diadora.com` · 2 of 2<br>`magnews.net` · 2 of 2 |


| | |
|---|---|
| **Verdict on receipt** | **SPF** pass · 2 of 2<br>**DKIM** pass · 2 of 2<br>**DMARC** pass · 2 of 2 |

The verdict is the one the receiving server wrote in the Authentication-Results header when the message arrived: it is read, never recomputed.

These findings describe the emails received at our addresses. They say nothing about a message received elsewhere: the From field can be written freely, and only the headers of the message you received show the path it took.

## Sector comparison

**Sports & outdoor** — 45 brands with at least one campaign analyzed. The shares below are counted on them, never on the catalog.




Reading notes

## How to read this page

01 **A criterion that is not observable or not applicable leaves the calculation.** It stays listed, never counted as zero: its weight leaves the denominator rather than weighing as a failure.

02 Each line describes an **observable finding**, with the excerpt that establishes it. No legal qualification is ever attached to it.

03 The measurements come from **deterministic analyzers**: the same message always gives the same result, and a disputed finding can be redone identically from the archive.

04 Every share is published **on an observed basis**, and names it: “26 of 30 brands analyzed.” A brand with no email received enters no denominator.

05 The **deliverability score is borrowed**: its verdict comes from the server that received the message. All the other families come from our own analyzers.

---

Does this analysis speak to you?

## Let's go through it together, in 20 minutes.

We go over the 4 points with you, the evidence for each and the order in which to fix them. By video call, no commitment.

Pick a time slot : https://cal.com/noam-ouaknine-ecibnn/20min (https://cal.com/noam-ouaknine-ecibnn/20min)

### Get Diadora's changes

One email when a criterion changes state, nothing else.

### Do you work at Diadora?

Claim the brand: transactional emails, alerts, dated evidence.

### The Pro version

Full history, before and after, alerts.

This report can also be read online, with a preview of each email:
https://postmetry.com/en/marque/diadora/?kind=transactional