postmetry

E

What's inside the newsletter from

Ekosport

Sender	contact@news.ekosport.fr
Sending platform	Salesforce Marketing Cloud
Sector	Sports & outdoor
Emails read	3 campaigns, 1 transactional
Period	October 2026

Our address was subscribed in October 2026, after the CNIL recommendation was published (April 14, 2026).

Overall score

A B C **D** 64/100 E F

The main finding

An open-tracking pixel is present on 1 transactional message.

It is the first of 9 points to fix. The highest score is deliverability (100/100), the lowest compliance (30/100), better than 40% of the 566 brands measured.

Transactional
1 message

October 2026 · calculated on 24 October

Compliance

30 /100

better than 40% of the 566 brands measured

Deliverability

100 /100

better than 45% of the 565 brands measured

Technical

71 /100

better than 27% of the 566 brands measured

Experience

65 /100

better than 63% of the 566 brands measured

9 points to fix

Each line leads to the criterion in its family, with the excerpt that establishes it and how to fix it.

Priority	**An open-tracking pixel is present** Criterion “No open-tracking pixel” · Compliance · on 1 transactional message `<img src="https://click.news.ekosport.fr/open.aspx?qs=***&d=***&bmt=***…` Salesforce Marketing Cloud: tracking is on by default for Email Studio sends and is set at the “send definition” level.	−35 pts out of 35 in Compliance
Priority	**The recipient has no control over tracking** Criterion “The recipient keeps control over tracking” · Compliance · measured on 1 transactional message A path separate from the unsubscribe link leads to a preference centre where the recipient can refuse tracking (opens, clicks) without unsubscribing.	−20 pts out of 20 in Compliance
Priority	**Layout tables nested beyond the threshold** Criterion “A shallow template” · Technical · measured on 1 transactional message Flatten the template: one content block per table, placed directly in the main column, with no wrapper table around each section.	−20 pts out of 20 in Technical
To review	**No untracked path leads to the site** Criterion “An untracked path leads to the site” · Compliance · on 1 transactional message	−15 pts out of 15 in Compliance
To review	**Some links become invisible when images are blocked** Criterion “All links stay visible with images blocked” · Experience · on 1 transactional message	−15 pts out of 15 in Experience
To review	**No plain-text version accompanies the message** Criterion “The message can be rendered outside HTML” · Experience · measured on 1 transactional message	−15 pts out of 15 in Experience
Secondary	**Some content images are not described** Criterion “The message stays readable with assistive technology” · Experience · measured on 1 transactional message	−5 pts out of 20 in Experience
Secondary	**Tags left open or closed without opening** Criterion “Well-formed HTML” · Technical · measured on 1 transactional message	−3.8 pts out of 15 in Technical
Secondary	**Lines longer than 998 bytes** Criterion “The message follows the shape of an email” · Technical · measured on 1 transactional message	−1 pts out of 5 in Technical

13 criteria met, including « The message says who is writing and under which rules » and « DKIM signature validated ». They are listed in their family, below.

Every send, at the time it arrived

One dot per message received by our subscription since October. Tap a dot to open it; the arrows move from one send to the next.

Technical reading of the send of Oct. 18, 2026 →

3
campaigns in 1 week
about 3 a week, in October

Saturday
favourite sending day
2 of the 3 campaigns

10 h
favourite sending hour
67% of campaigns arrive between 10:00 and 11:00

24 Oct.
last send received
« 🏕️ Métro, boulot… outdoor ! »



Campaign 3 of 3

Saturday 24 Oct., 17:01

🏕️ Métro, boulot… outdoor !

Type	Marketing campaign
Score	analysis in progress
Pixel	—

Sending day

Tap a bar to find its sends on the timeline.



Arrival time

Hour by hour, on the 3 campaigns.

0 h 6 h 12 h 18 h 24 h

No change observed since October Each campaign is compared with the previous one, criterion by criterion.

Criteria in detail

The 24 criteria + 1 bonus

13 met · **3** partly met · **6** not met · **0** not observable · **2** not applicable

30
out of 100

Compliance

These checks cover what the send imposes on the recipient and what it leaves them: measurement of their behaviour, ways to leave, tracking of their objection.

Tracking pixels: the CNIL rule Method, Compliance family

better than 40% of the 566 brands measured

The calculation · 30 pts out of 100 2 met · 3 not met · 1 not applicable

35 | 20 | 20 | 15 | 10

Weight of each criterion in the score.

No open-tracking pixel Not met 0/35 pts

Open-tracking pixel detected on the only transactional message concerned

0 points out of 35 — met on 0 of 1 transactional message concerned.

An invisible image tells the sending platform that the message was opened, when, and from which device: this is individual tracking of reading behavior, and the recipient sees none of it. The message does not say whether they consented or objected — that choice lives in the sending platform, not in the email.

Served from `ekosport.fr`.

The excerpt that establishes it

```
<img src="https://click.news.ekosport.fr/open.aspx?qs=***&am
p;d=***&amp;bmt=***" width="1" height="1" alt="">
```

How to fix it

Salesforce Marketing Cloud: tracking is on by default for Email Studio sends and is set at the “send definition” level. An email sent through the API can carry a different setting from the one in the interface.

Specific to salesforce-mc — not yet re-opened in the tool

Met when no tracking pixel is present. A single pixel is enough for the criterion not to be met on an email.

CNIL 14/04/2026 · LIL art.82 · PM-PRIV-001 · The detection rule

Loi Informatique et Libertés, article 82 (https://www.legifrance.gouv.fr/loda/article_lc/LEGIARTI000037813978/)

CNIL, délibération n° 2026-042 du 12 mars 2026, publiée au JO le 14 avril 2026 — champ d'application (https://www.cnil.fr/sites/default/files/2026-04/recommandation-pixels_de_suivi.pdf)

CNIL, foire aux questions du 22 juillet 2026 (https://www.cnil.fr/fr/faq-recommandation-pixels-courriers-electroniques)
CNIL, délibération n° 2026-042 du 12 mars 2026, publiée au JO le 14 avril 2026 — retrait du consentement (https://www.cnil.fr/sites/default/files/2026-04/recommandation-pixels_de_suivi.pdf)

Unsubscribing is possible and announced

Not applicable

not applicable

This measurement did not apply to any of the emails received. It **drops out of the denominator**: it is never counted as a failure.

Met when the message announces unsubscribing in its headers, through a page rather than an email to write, and in its body. The detail says which of the two is missing. Not applicable to a transactional email.

RFC 2369 · PM-PRIV-002

The recipient keeps control over tracking

Not met

0/20 pts

The recipient has no control over tracking — none of the 2 measures is met

0 points out of 20 — share of observations met across 1 transactional message.

How to fix it

A path separate from the unsubscribe link leads to a preference centre where the recipient can refuse tracking (opens, clicks) without unsubscribing. Most email platforms offer this page; otherwise it goes in the template footer, with its own link, named for what it does ("manage my preferences", "refuse tracking").

The page takes an afternoon to set up and then serves every send. It is what the CNIL recommendation expects from an email that measures how its readers behave.

Two measures: does the unsubscribe link go through a tracker, and does a separate path lead to a preference center or to refusing tracking? Neither establishes that a refusal succeeds — checking would require following the link, which would record a click on the sending platform's side. They describe the control left to the recipient, not the result they would get.

What was measured — 0 met out of 2

- Tracked unsubscribe link on the only transactional message concerned — Not met
- No separate path to refuse tracking on the only transactional message concerned — Not met

CNIL 14/04/2026 · Postmetry · PM-PRIV-003

The message says who is writing and under which rules

Met

20 pts

The message says who is writing and under which rules on a single transactional message

20 points out of 20 — share of observations met across 1 transactional message.

A commercial email must make it possible to identify the advertiser (CPCE, article L. 34-5), and the recipient must be able to know who processes their data. This indicator groups what a message can show of it.

What was measured — 3 met out of 3

- The message names its sender on a single transactional message — Met
- A reply to the message is possible on a single transactional message — Met
- A link leads to the privacy policy on a single transactional message — Met

CPCE L. 34-5 · directive 2000/31 art. 6 · CAN-SPAM · PM-PRIV-004

An untracked path leads to the site

Not met

0/15 pts

Every link to the site goes through a tracker on the only transactional message concerned

0 points out of 15 — met on 0 of 1 transactional message concerned.

A recipient who simply wants to visit the site has no option but to go through the click counter.

How to fix it

At least one link in the message points directly to the brand's domain, without going through the platform's redirect domain: the logo, the legal notice or the privacy policy will do. In the editor this is set link by link ("do not track this link", "disable click tracking") or through an exclusion list in the account settings.

An untracked link does not count in measured clicks; choosing the logo or the footer takes nothing away from the clicks that matter.

Met when at least one link in the message leads to the brand's site without going through a click counter.

Postmetry · PM-PRIV-005

No recipient identifier in the message

Met

10 pts

No recipient identifier in the message on a single transactional message

10 points out of 10 — met on 1 of 1 transactional message concerned.

Met when the recipient's address appears — neither in clear, nor encoded, nor hashed — in no URL and no proprietary header. Addressing headers do not count: they carry it by design.

Postmetry · RGPD art.4 en repère · PM-PRIV-020

Deliverability

100

out of 100

These checks read the authentication verdict set by our server when the message arrived. This verdict is dated by construction: we never recalculate it, which would query today's DNS rather than the DNS of the day the email was sent.

Gmail sender requirements ↗ (https://support.google.com/a/answer/81126)

Yahoo requirements ↗ (https://senders.yahooinc.com/best-practices/) Method, Deliverability family

better than 45% of the 565 brands measured

The calculation · 70 pts out of 70, scaled to 100

5 met · 1 not applicable

20	20	15	10	5

Weight of each criterion in the score.

DKIM signature validated

Met

20 pts

Valid DKIM signature on a single transactional message

20 points out of 20 — met on 1 of 1 transactional message concerned.

Met when our receiving server validated the DKIM signature of the email.

RFC 6376 · RFC 8601 · PM-DELIV-001

RFC 6376 — DomainKeys Identified Mail (DKIM) Signatures (https://www.rfc-editor.org/rfc/rfc6376)

RFC 8601 — Message Header Field for Indicating Message Authentication Status (https://www.rfc-editor.org/rfc/rfc8601)

DMARC alignment validated — Met

20 pts

DMARC alignment verified on a single transactional message

20 points out of 20 — met on 1 of 1 transactional message concerned.

Met when the domain shown in the sender matches the one that authenticated the message.

RFC 9989 · PM-DELIV-002

RFC 9989 — Domain-Based Message Authentication, Reporting, and Conformance (DMARC) (https://www.rfc-editor.org/rfc/rfc9989)

DMARC policy that helps keep out some impersonation — Met

15 pts

Active DMARC policy on a single transactional message

15 points out of 15 — met on 1 of 1 transactional message concerned.

Met when the published policy is "reject" or "quarantine". A "none" policy asks nothing of mail providers: it is published with no effect on messages that impersonate the domain.

RFC 9989 §4.7 · PM-DELIV-003 · RFC 9989 — section 4.7, "p" tag (https://www.rfc-editor.org/rfc/rfc9989#section-4.7)

No SPF failure — Met

10 pts

No SPF failure on a single transactional message

10 points out of 10 — met on 1 of 1 transactional message concerned.

Met when SPF does not fail. An SPF "none" alongside a valid DKIM and DMARC is a common and legitimate configuration: it is not penalized.

RFC 7208 · PM-DELIV-004

RFC 7208 — Sender Policy Framework (SPF) for Authorizing Use of Domains in Email (https://www.rfc-editor.org/rfc/rfc7208)

One-click unsubscribe, as defined by RFC 8058 — Not applicable

not applicable

This measurement did not apply to any of the emails received. It **drops out of the denominator**: it is never counted as a failure.

Met when the "List-Unsubscribe" header carries an https address and "List-Unsubscribe-Post" is exactly "List-Unsubscribe=One-Click". This is what Gmail and Yahoo require of bulk senders: the mailbox's button then acts without opening a page. Not applicable to a transactional email.

RFC 8058 · Gmail et Yahoo · PM-DELIV-005

A DKIM signature that covers what matters — Met

5 pts

The DKIM signature covers what matters in the message on a single transactional message

5 points out of 5 — share of observations met across 1 transactional message.

What the signature covers, not only that it passes: an algorithm accepted by RFC 8301, the whole body signed, the From, Subject, Date and List-Unsubscribe headers signed, a signature not expired on receipt. Not applicable without a DKIM signature.

What was measured — 3 met out of 3

- Accepted signing algorithm on a single transactional message — Met
- Whole body signed on a single transactional message — Met
- Essential headers signed on a single transactional message — Met

- Signature valid on receipt Not applicable

RFC 6376 · RFC 8301 · PM-DELIV-006

Technical

These checks cover what email clients actually do with the message: truncation, style blocks removed, resources never loaded. Each threshold states where it comes from: the documented behaviour of an email client, a specification, or our own method.

Support by email client (caniemail) ↗ (https://www.caniemail.com/) Method, Technical family

better than 27% of the 566 brands measured

The calculation · 60 pts out of 85, scaled to 100 3 met · 2 partly met · 1 not met

Weight of each criterion in the score.

HTML under Gmail's clipping threshold Met 25 pts

HTML under Gmail's clipping threshold on a single transactional message

25 points out of 25 — met on 1 of 1 transactional message concerned.

Met when the HTML part stays under 102 KB. Beyond that, Gmail cuts off the end of the message — and the end is where the unsubscribe link and the notices are.

Gmail · PM-TECH-001

A shallow template Not met 0/20 pts

Layout tables nested beyond the threshold on the only transactional message concerned (0 of 1 measures met)

0 points out of 20 — share of observations met across 1 transactional message.

How to fix it

Flatten the template: one content block per table, placed directly in the main column, with no wrapper table around each section.

In a block-based editor, nesting usually comes from a section placed inside another, or a column inside a column. It is fixed once, in the template, not campaign by campaign.

The technical reading of the email gives the measured nesting and its threshold: it tells you when the fix has taken effect.

Met when layout tables are nested no more than 6 levels deep. Beyond that, the Word engine shared by desktop Outlook and the diverging clients each render the template their own way.

What was measured — 0 met out of 1

- Layout tables nested beyond the threshold on the only transactional message concerned Not met

Postmetry · PM-TECH-002

Well-formed HTML

Partly met

11.2/15 pts

Tags left open or closed without opening on the only transactional message concerned (3 of 4 measures met)

11.2 points out of 15 — share of observations met across 1 transactional message.

How to fix it

Form errors (unclosed tags, duplicated attributes, invalid table/div nesting) come from blocks pasted between editors or from hand edits in the code. Run the HTML through a validator before sending, and fix it at the source in the template rather than in each campaign.

Malformed HTML renders differently from one email client to another, and it is the most common cause of a broken display in Outlook or on mobile.

A doctype, a character set declared in the document, balanced tags and unique identifiers. Each client repairs incomplete markup its own way, which is what makes rendering unpredictable. End tags that HTML makes optional do not count.

What was measured — 3 met out of 4

- Doctype declared on a single transactional message — Met
- Character set declared in the HTML on a single transactional message — Met
- Tags left open or closed without opening on the only transactional message concerned — Not met
- Unique identifiers on a single transactional message — Met

WHATWG · PM-TECH-030

Every link leads somewhere

Met

10 pts

Every link leads somewhere on a single transactional message

10 points out of 10 — met on 1 of 1 transactional message concerned.

Met when no link is empty, reduced to "#" or written as "javascript:". Such a link leads nowhere, and most clients neutralise it. Not applicable if the message contains no link.

Postmetry · PM-TECH-031

No remote stylesheet

Met

10 pts

No remote stylesheet on a single transactional message

10 points out of 10 — met on 1 of 1 transactional message concerned.

Met when the message calls no external stylesheet, through "link" or "@import". Several clients never load them. A font stylesheet does not count: without it, the text falls back to another font.

caniemail · PM-TECH-020 · <link> in an email — support by client (https://www.caniemail.com/features/html-link/)

The message follows the shape of an email

Partly met

4/5 pts

Lines longer than 998 bytes on the only transactional message concerned (4 of 5 measures met)

4 points out of 5 — share of observations met across 1 transactional message.

How to fix it

The `From`, `Date` and `Message-ID` headers are present and well formed: a single `From` address in angle brackets, a date in RFC format, a unique `Message-ID` in angle brackets. Deviations come from a direct SMTP send from an application or from an in-house script, rarely from an email platform.

For some filters, a malformed header is enough to file the message as spam, whatever its content.

Lines of 998 bytes at most, readable Message-ID and Date, a character set announced on every text part, a transfer encoding consistent with the content (RFC 5322, RFC 2045). Most servers tolerate these deviations, each in its own way.

What was measured — 4 met out of 5

- Lines longer than 998 bytes on the only transactional message concerned Not met
- Well-formed Message-ID on a single transactional message Met
- Readable date on a single transactional message Met
- Character set announced on every text part on a single transactional message Met
- Consistent transfer encoding on a single transactional message Met

RFC 5322 · RFC 2045 · PM-TECH-010

65
out of 100

Experience

Four questions about what becomes of the message once received: does it stay understandable, can the recipient still act, can a client render it, can a screen display it. Automatic detection only covers what is declared in the message.

WCAG 2.2 ↗ (https://www.w3.org/TR/WCAG22/) Method, Experience family

better than 63% of the 566 brands measured

The calculation · 65 pts out of 100 — 3 met · 1 partly met · 2 not met · 1 bonus

25	15	15	10	20	15

Weight of each criterion in the score.

The message makes sense without its images, from the inbox on — Met — 25 pts

The message reads without its images and announces itself in the inbox on a single transactional message

25 points out of 25 — share of observations met across 1 transactional message.

Met when the message keeps at least 200 readable characters with images blocked, and a preheader of 40 to 130 characters announces it in the message list. Without a preheader, the inbox shows the first text of the body instead — often “View in browser”.

What was measured — 2 met out of 2

- At least 200 characters remain readable with images blocked on a single transactional message Met
- Preheader of 40 to 130 characters on a single transactional message Met

Postmetry · PM-EXP-001

The message can be rendered outside HTML — Not met — 0/15 pts

No plain-text version accompanies the message on the only transactional message concerned (0 of 1 measures met)

0 points out of 15 — share of observations met across 1 transactional message.

How to fix it

The text version (`text/plain`) comes with the HTML and carries the content and the links, not just a sentence saying “open this message in your browser”. Email platforms generate it from the HTML when the option is on (“auto-generate plain text”).

This is the version that watches, screen readers and some business clients read; spam filters also use it, comparing the two versions.

Met when a text version comes with the email and carries the essentials: at least 60% of its text and 80% of its links. A client that does not display HTML falls back on it; reduced to “view the web version”, it renders nothing.

What was measured — 0 met out of 1

- No plain-text version accompanies the message on the only transactional message concerned Not met
- The text version carries the message's text Not applicable
- The text version carries the message's links Not applicable

Postmetry · PM-EXP-002

All links stay visible with images blocked Not met

0/15 pts

Some links become invisible with images blocked on the only transactional message concerned

0 points out of 15 — met on 0 of 1 transactional message concerned.

How to fix it

Every important action (main button, unsubscribe) exists as text or as an HTML button, not only as a clickable image. For an image button, an `alt` that names the action and a background colour on the cell keep the area visible even without the image.

With images blocked, an image button becomes an empty rectangle: the reader does not know where to click.

Met when no link is carried by a single image without alternative text: such a link leaves nothing on screen. Not applicable if the message contains no links.

Postmetry · PM-EXP-003

Tap targets large enough Met

10 pts

Tap targets of sufficient size on a single transactional message

10 points out of 10 — met on 1 of 1 transactional message concerned.

Met when no sized tap target falls below 24 px a side (WCAG 2.2, criterion 2.5.8). Only targets with a declared dimension are measured; the criterion's exceptions — a target within a line of text, sufficient spacing — are not. Not applicable if the message declares no dimensions.

WCAG 2.2 — 2.5.8 · PM-EXP-004

WCAG 2.2 — Target Size (Minimum), success criterion 2.5.8, level AA (https://www.w3.org/TR/WCAG22/#target-size-minimum)

The message stays readable with assistive technology Partly met

15/20 pts

Some content images are not described on the only transactional message concerned (3 of 4 measures met)

15 points out of 20 — share of observations met across 1 transactional message.

How to fix it

Four fixes, all in the template: declare the message language on the `<html>` tag (`lang="en"` for an email in English), describe each content image in its `alt` attribute, mark layout tables with `role="presentation"`, and write links that say where they lead rather than “click here”.

The criterion detail shows which ones are missing from your emails; the others are already met.

A decorative image — divider, spacer — keeps an empty `alt=""`: that is what keeps it silent, not an oversight.

Declared language, described content images, layout tables marked as such, link texts that say where they lead: what a screen reader needs to render the message. The detail says which of these measures is missing.

What was measured — 3 met out of 4

- Message language declared on a single transactional message Met
- Some content images are not described on the only transactional message concerned Not met
- Layout tables marked as such on a single transactional message Met
- Every link says where it leads on a single transactional message Met

WCAG 2.2 · RGAA · PM-EXP-005
HTML Standard — The lang and xml:lang attributes (https://html.spec.whatwg.org/multipage/dom.html#the-lang-and-xml:lang-attributes)
HTML Standard — Requirements for providing text to act as an alternative for images (https://html.spec.whatwg.org/multipage/images.html#alt)

The message declares its adaptation to screens Met

15 pts

The message declares its adaptation to screens on a single transactional message

15 points out of 15 — share of observations met across 1 transactional message.

Met when the message declares its viewport and its adaptation to screen width. Without them, it displays on a phone at its original width, and is read by zooming and scrolling sideways.

What was measured — 2 met out of 2

- Viewport declared on a single transactional message Met
- Adaptation to screen width declared on a single transactional message Met

W3C · PM-EXP-026 · CSS Device Adaptation — the viewport tag (https://www.w3.org/TR/css-device-adapt-1/)
Media Queries Level 4 (https://www.w3.org/TR/mediaqueries-4/)

Dark mode declared Bonus point not earned

+0 pts

The message does not declare its support for dark mode on the only transactional message concerned

0 points out of 5 — met on 0 of 1 transactional message concerned.

Earned when the message declares `color-scheme` or a `prefers-color-scheme` rule. No standard requires it — clients that force dark mode invert the colors themselves — but declaring it leaves control to the template rather than to the mail client.

caniemail · PM-EXP-027

FINDINGS OUTSIDE SCORING

Observed, not scored

These findings are not part of any score: their threshold has no citable source. They are still shown in full.

Every link in the message goes through a tracker

recognized by a tracking subdomain under the brand's name

Each click is recorded and tied to the recipient before being redirected. No link leads directly to the site: there is no way to visit the brand from this message without being measured.

▼ The evidence — excerpt from your email

```
https://click.news.ekosport.fr/?qs=***
```

Sector comparison

Sports & outdoor — 36 brands with at least one campaign analyzed. The shares below are counted on them, never on the catalog.



Reading notes

How to read this page

01 **A criterion that is not observable or not applicable leaves the calculation.** It stays listed, never counted as zero: its weight leaves the denominator rather than weighing as a failure.

02 Each line describes an **observable finding**, with the excerpt that establishes it. No legal qualification is ever attached to it.

03 The measurements come from **deterministic analyzers**: the same message always gives the same result, and a disputed finding can be redone identically from the archive.

04 Every share is published **on an observed basis**, and names it: "26 of 30 brands analyzed." A brand with no email received enters no denominator.

05 The **deliverability score is borrowed**: its verdict comes from the server that received the message. All the other families come from our own analyzers.

Does this analysis speak to you?

Let's go through it together, in 20 minutes.

We go over the 9 points with you, the evidence for each and the order in which to fix them. By video call, no commitment.

Pick a time slot : https://cal.com/noam-ouaknine-ecibnn/20min (https://cal.com/noam-ouaknine-ecibnn/20min)

Get Ekosport's changes

One email when a criterion changes state, nothing else.

Do you work at Ekosport?

Claim the brand: transactional emails, alerts, dated evidence.

The Pro version

Full history, before and after, alerts.

This report can also be read online, with a preview of each email:

https://postmetry.com/en/marque/ekosport/?kind=transactional