postmetry

O

What's inside the newsletter from

Oscaro

Sender	oscaro@hello.oscaro.com
Sending platform	Batch
Sector	Automotive & services
Emails read	30 campaigns, 1 transactional
Period	August – October 2026

Our address received its first email in August 2026, after the CNIL recommendation was published (April 14, 2026).

Overall score

A B **C** 74/100 D E F

The main finding

An open-tracking pixel is present on the last 3 campaigns.

It is the first of 13 points to fix. The highest score is deliverability (100/100), the lowest compliance (50/100), better than 79% of the 503 brands measured.

Marketing
30 campaigns

August – October 2026 · calculated on 24 October

Compliance

50 /100

better than 79% of the 503 brands measured

Deliverability

100 /100

better than 45% of the 503 brands measured

Technical

82 /100

better than 68% of the 503 brands measured

Experience

70 /100

better than 70% of the 503 brands measured

13 points to fix

Each line leads to the criterion in its family, with the excerpt that establishes it and how to fix it.

Priority

An open-tracking pixel is present

Criterion “No open-tracking pixel” · Compliance · on the last 3 campaigns

−30 pts
out of 30 in Compliance

```
<img src="https://tlr.stripocdn.email/content/guids/***/images/***" height="1"…
```

Open tracking is turned off in the tracking settings, at the campaign or account level.

Priority

The recipient's address is written into the message

Criterion “No recipient identifier in the message” · Compliance · on 1 of the 30 campaigns

−0.3 pts
out of 10 in Compliance

```
header:X-MSFBL adresse:base64
```

Links carry no email address, contact identifier or automatic login token in their parameters.

To review

No plain-text version accompanies the message

Criterion “The message can be rendered outside HTML” · Experience · measured on 30 campaigns

−15 pts
out of 15 in Experience

The text version (text/plain) comes with the HTML and carries the content and the links, not just a sentence saying “open this message in your browser”.

To review

No untracked path leads to the site

Criterion “An untracked path leads to the site” · Compliance · on all 30 campaigns

−10 pts
out of 10 in Compliance

To review

No separate path to refuse tracking

Criterion “The recipient keeps control over tracking” · Compliance · measured on 30 campaigns

−10 pts
out of 20 in Compliance

Secondary

The HTML exceeds Gmail's clipping threshold

Criterion “HTML under Gmail's clipping threshold” · Technical · on 10 of the 30 campaigns

−8.3 pts
out of 25 in Technical

Secondary

Some links do not say where they lead

Criterion “The message stays readable with assistive technology” · Experience · measured on 30 campaigns

−7.3 pts
out of 20 in Experience

Secondary

Some links become invisible when images are blocked

Criterion “All links stay visible with images blocked” · Experience · on 13 of the 30 campaigns

−6.5 pts
out of 15 in Experience

Secondary

The template is nested beyond the threshold

Criterion “A shallow template” · Technical · measured on 30 campaigns

−4.7 pts
out of 20 in Technical

Secondary

The message reads poorly without its images or does not announce itself in the inbox

Criterion “The message makes sense without its images, from the inbox on” · Experience · measured on 30 campaigns

−4.2 pts
out of 25 in Experience

Secondary

Some links lead nowhere

Criterion “Every link leads somewhere” · Technical · on 7 of the 30 campaigns

−2.3 pts
out of 10 in Technical

Secondary	**The message does not declare its adaptation to screens** Criterion "The message declares its adaptation to screens" · Experience · measured on 30 campaigns	**−1 pts** out of 15 in Experience
Secondary	**Some tap targets are too small for a finger** Criterion "Tap targets large enough" · Experience · on 3 of the 30 campaigns	**−1 pts** out of 10 in Experience

11 criteria met, including « Unsubscribing is possible and announced » and « DKIM signature validated ». They are listed in their family, below.

Every send, at the time it arrived

One dot per message received by our subscription since August. Tap a dot to open it; the arrows move from one send to the next.

Technical reading of the send of Oct. 23, 2026 →

30
campaigns in 10 weeks
about 3 a week, from August to October

No fixed day
sending day
Monday leads, 10 of the 30 campaigns

10 h
favourite sending hour
67% of campaigns arrive between 10:00 and 11:00

23 Oct.
last send received
« 💡 Bosch | Jusqu'à -30% pour voir clair et démarrer malin »



Campaign 30 of 30

Friday 23 Oct., 16:11

💡 Bosch | Jusqu'à -30% pour voir clair et démarrer malin

Type Marketing campaign

Score 76 / 100

Pixel Present, detected by its size

● Change observed on this send, to be confirmed by the next one.

Sending day

Tap a bar to find its sends on the timeline.



Arrival time

Hour by hour, on the 30 campaigns.



5 changes observed since August

Each campaign is compared with the previous one, criterion by criterion.

20 Aug.	The detail of this change, criterion by criterion, is reserved for the Pro version. confirmed by the next campaign · the per-send score goes from 80 to 77
16 Sept.	The detail of this change, criterion by criterion, is reserved for the Pro version. confirmed by the next campaign · the per-send score goes from 77 to 69
5 Oct.	The detail of this change, criterion by criterion, is reserved for the Pro version. confirmed by the next campaign · the per-send score goes from 69 to 76
14 Oct.	The detail of this change, criterion by criterion, is reserved for the Pro version. confirmed by the next campaign · the per-send score goes from 76 to 74
23 Oct.	The detail of this change, criterion by criterion, is reserved for the Pro version. to be confirmed by the next send · the per-send score goes from 74 to 76

Criteria in detail

The 24 criteria + 1 bonus

11 met · **10** partly met · **3** not met · **0** not observable

50
out of 100

Compliance

These checks cover what the send imposes on the recipient and what it leaves them: measurement of their behaviour, ways to leave, tracking of their objection.

Tracking pixels: the CNIL rule Method, Compliance family

better than 79% of the 503 brands measured

The calculation · 50 pts out of 100

2 met · 2 partly met · 2 not met

30	15	20	15	10	10

Weight of each criterion in the score.

No open-tracking pixel — Not met

0/30 pts

Open-tracking pixel detected on the last 3 campaigns

0 points out of 30 — met on 0 of the last 3 campaigns.

An invisible image tells the sending platform that the message was opened, when, and from which device: this is individual tracking of reading behavior, and the recipient sees none of it. The message does not say whether they consented or objected — that choice lives in the sending platform, not in the email.

Served from `stripocdn.email`.

The excerpt that establishes it

```
<img src="https://tlr.stripocdn.email/content/guids/***/image
s/***" height="1" alt="" style="display:block;font-size:16px;
border:0;outline:none;text-decoration:none;margin:0;width:600
px;max-height:0px;min-height:0px;min-width:0px">
```

How to fix it

Open tracking is turned off in the tracking settings, at the campaign or account level. Look for “open tracking”.

Turning it off loses the open rate — a measure already largely distorted by mailbox privacy protections, which preload images — and changes nothing about the click rate.

Met when no tracking pixel is present. A single pixel is enough for the criterion not to be met on an email.

CNIL 14/04/2026 · LIL art. 82 · PM-PRIV-001 · The detection rule

Loi Informatique et Libertés, article 82 (https://www.legifrance.gouv.fr/loda/article_lc/LEGIARTI000037813978/)

CNIL, délibération n° 2026-042 du 12 mars 2026, publiée au JO le 14 avril 2026 — champ d'application (https://www.cnil.fr/sites/default/files/2026-04/recommandation-pixels_de_suivi.pdf)

CNIL, foire aux questions du 22 juillet 2026 (https://www.cnil.fr/fr/faq-recommandation-pixels-courriers-electroniques)

CNIL, délibération n° 2026-042 du 12 mars 2026, publiée au JO le 14 avril 2026 — retrait du consentement (https://www.cnil.fr/sites/default/files/2026-04/recommandation-pixels_de_suivi.pdf)

Unsubscribing is possible and announced — Met

15 pts

Unsubscribing is announced, in the header and in the body on 30 campaigns

15 points out of 15 — share of observations met across 30 campaigns.

Met when the message announces unsubscribing in its headers, through a page rather than an email to write, and in its body. The detail says which of the two is missing. Not applicable to a transactional email.

What was measured — 2 met out of 2

- Unsubscribe announced in the header, through a page on 30 campaigns Met
- Unsubscribe link in the body on 30 campaigns Met

RFC 2369 · PM-PRIV-002

RFC 2369 — The Use of URLs as Meta-Syntax for Core Mail List Commands (https://www.rfc-editor.org/rfc/rfc2369)

The recipient keeps control over tracking

Partly met

10/20 pts

No separate path to refuse tracking on the 30 campaigns concerned (1 of 2 measures met)

10 points out of 20 — share of observations met across 30 campaigns.

How to fix it

A path separate from the unsubscribe link leads to a preference centre where the recipient can refuse tracking (opens, clicks) without unsubscribing. Most email platforms offer this page; otherwise it goes in the template footer, with its own link, named for what it does ("manage my preferences", "refuse tracking").

The page takes an afternoon to set up and then serves every send. It is what the CNIL recommendation expects from an email that measures how its readers behave.

Two measures: does the unsubscribe link go through a tracker, and does a separate path lead to a preference center or to refusing tracking? Neither establishes that a refusal succeeds — checking would require following the link, which would record a click on the sending platform's side. They describe the control left to the recipient, not the result they would get.

What was measured — 1 met out of 2

- Untracked unsubscribe link on 30 campaigns Met
- No separate path to refuse tracking on the 30 campaigns concerned Not met

CNIL 14/04/2026·Postmetry · PM-PRIV-003

The message says who is writing and under which rules

Met

15 pts

The message says who is writing and under which rules on 30 campaigns

15 points out of 15 — share of observations met across 30 campaigns.

A commercial email must make it possible to identify the advertiser (CPCE, article L. 34-5), and the recipient must be able to know who processes their data. This indicator groups what a message can show of it.

What was measured — 3 met out of 3

- The message names its sender on 30 campaigns Met
- A reply to the message is possible on 30 campaigns Met
- A link leads to the privacy policy on 30 campaigns Met

CPCE L.34-5·directive 2000/31 art.6·CAN-SPAM · PM-PRIV-004

An untracked path leads to the site

Not met

0/10 pts

Every link to the site goes through a tracker on the 30 campaigns concerned

0 points out of 10 — met on 0 of 30 campaigns concerned.

A recipient who simply wants to visit the site has no option but to go through the click counter.

How to fix it

At least one link in the message points directly to the brand's domain, without going through the platform's redirect domain: the logo, the legal notice or the privacy policy will do. In the editor this is set link by link ("do not track this link", "disable click tracking") or through an exclusion list in the account settings.

An untracked link does not count in measured clicks; choosing the logo or the footer takes nothing away from the clicks that matter.

Met when at least one link in the message leads to the brand's site without going through a click counter.

Postmetry · PM-PRIV-005

No recipient identifier in the message

Partly met

9.7 / 10 pts

The recipient's address is written into the message (1 of 30 campaigns concerned)

9.7 points out of 10 — met on 29 of 30 campaigns concerned.

Base64-encoded or hashed, it is still the address: a hash is recovered by hashing a list of known addresses. Placed in a URL or a header, it travels wherever the message goes — redirect server logs, analytics tools, browser history.

The excerpt that establishes it

```
header:X-MSFBL adresse:base64
```

How to fix it

Links carry no email address, contact identifier or automatic login token in their parameters. In the email platform, these come from merge variables inserted into URLs (`?email={{contact.email}}`, `?uid=…`): remove them from the template's links, and turn off login-by-link if it is offered.

The platform still identifies the recipient for tracked clicks; what changes is that the address no longer travels in clear to the website, its analytics and its partners.

Met when the recipient's address appears — neither in clear, nor encoded, nor hashed — in no URL and no proprietary header. Addressing headers do not count: they carry it by design.

Postmetry · RGPD art. 4 en repère · PM-PRIV-020

Deliverability

100
out of 100

These checks read the authentication verdict set by our server when the message arrived. This verdict is dated by construction: we never recalculate it, which would query today's DNS rather than the DNS of the day the email was sent.

Gmail sender requirements ↗ (https://support.google.com/a/answer/81126)

Yahoo requirements ↗ (https://senders.yahooinc.com/best-practices/) Method, Deliverability family

better than 45% of the 503 brands measured

The calculation · 85 pts out of 85, scaled to 100

6 met

Weight of each criterion in the score.

DKIM signature validated ■ Met

20 pts

Valid DKIM signature on 30 campaigns

20 points out of 20 — met on 30 of 30 campaigns concerned.

Met when our receiving server validated the DKIM signature of the email.

RFC 6376 · RFC 8601 · PM-DELIV-001

RFC 6376 — DomainKeys Identified Mail (DKIM) Signatures (https://www.rfc-editor.org/rfc/rfc6376)

RFC 8601 — Message Header Field for Indicating Message Authentication Status (https://www.rfc-editor.org/rfc/rfc8601)

DMARC alignment validated ■ Met

20 pts

DMARC alignment verified on 30 campaigns

20 points out of 20 — met on 30 of 30 campaigns concerned.

Met when the domain shown in the sender matches the one that authenticated the message.

RFC 9989 · PM-DELIV-002

RFC 9989 — Domain-Based Message Authentication, Reporting, and Conformance (DMARC) (https://www.rfc-editor.org/rfc/rfc9989)

DMARC policy that helps keep out some impersonation ■ Met

15 pts

Active DMARC policy on 30 campaigns

15 points out of 15 — met on 30 of 30 campaigns concerned.

Met when the published policy is “reject” or “quarantine”. A “none” policy asks nothing of mail providers: it is published with no effect on messages that impersonate the domain.

RFC 9989 §4.7 · PM-DELIV-003 · RFC 9989 — section 4.7, “p” tag (https://www.rfc-editor.org/rfc/rfc9989#section-4.7)

No SPF failure ■ Met

10 pts

No SPF failure on 30 campaigns

10 points out of 10 — met on 30 of 30 campaigns concerned.

Met when SPF does not fail. An SPF “none” alongside a valid DKIM and DMARC is a common and legitimate configuration: it is not penalized.

RFC 7208 · PM-DELIV-004

RFC 7208 — Sender Policy Framework (SPF) for Authorizing Use of Domains in Email (https://www.rfc-editor.org/rfc/rfc7208)

One-click unsubscribe, as defined by RFC 8058 ■ Met

15 pts

One-click unsubscribe as defined by RFC 8058 on 30 campaigns

15 points out of 15 — share of observations met across 30 campaigns.

Met when the “List-Unsubscribe” header carries an https address and “List-Unsubscribe-Post” is exactly “List-Unsubscribe=One-Click”. This is what Gmail and Yahoo require of bulk senders: the mailbox's button then acts without opening a page. Not applicable to a transactional email.

What was measured — 2 met out of 2

- The unsubscribe header carries an https address on 30 campaigns Met
- One-click unsubscribe announced on 30 campaigns Met

RFC 8058 · Gmail et Yahoo · PM-DELIV-005

A DKIM signature that covers what matters ■ Met

5 pts

The DKIM signature covers what matters in the message on 30 campaigns

5 points out of 5 — share of observations met across 30 campaigns.

What the signature covers, not only that it passes: an algorithm accepted by RFC 8301, the whole body signed, the From, Subject, Date and List-Unsubscribe headers signed, a signature not expired on receipt. Not applicable without a DKIM signature.

What was measured — 3 met out of 3

- ■ Accepted signing algorithm on 30 campaigns Met
- ■ Whole body signed on 30 campaigns Met
- ■ Essential headers signed on 30 campaigns Met
- □ Signature valid on receipt Not applicable

RFC 6376 · RFC 8301 · PM-DELIV-006

Technical

These checks cover what email clients actually do with the message: truncation, style blocks removed, resources never loaded. Each threshold states where it comes from: the documented behaviour of an email client, a specification, or our own method.

Support by email client (caniemail) ↗ (https://www.caniemail.com/) Method, Technical family

better than 68% of the 503 brands measured

The calculation · 70 pts out of 85, scaled to 100

3 met · 3 partly met

Weight of each criterion in the score.

HTML under Gmail's clipping threshold □ Partly met

16.7 / 25 pts

HTML over Gmail's clipping threshold (10 of 30 campaigns concerned)

16.7 points out of 25 — met on 20 of 30 campaigns concerned.

How to fix it

Weight comes down by removing unused CSS, deleting duplicated hidden blocks (mobile and desktop versions of the same content), removing comments and Outlook conditional code that is no longer needed, and embedding no base64 images. Most editors show the HTML weight before sending.

Above 102 KB, Gmail clips the message and shows “View entire message”: the footer, the legal notices and the unsubscribe link drop out of the first read.

Met when the HTML part stays under 102 KB. Beyond that, Gmail cuts off the end of the message — and the end is where the unsubscribe link and the notices are.

Gmail · PM-TECH-001

A shallow template □ Partly met

15.3 / 20 pts

Layout tables nested beyond the threshold (7 of 30 campaigns concerned) (0 of 1 measures met)

15.3 points out of 20 — share of observations met across 30 campaigns.

How to fix it

Flatten the template: one content block per table, placed directly in the main column, with no wrapper table around each section.

In a block-based editor, nesting usually comes from a section placed inside another, or a column inside a column. It is fixed once, in the template, not campaign by campaign.

The technical reading of the email gives the measured nesting and its threshold: it tells you when the fix has taken effect.

Met when layout tables are nested no more than 6 levels deep. Beyond that, the Word engine shared by desktop Outlook and the diverging clients each render the template their own way.

What was measured — 0 met out of 1

- Layout tables nested beyond the threshold (7 of 30 campaigns concerned) Partly met

Postmetry · PM-TECH-002

Well-formed HTML Met

15 pts

Well-formed HTML on 30 campaigns

15 points out of 15 — share of observations met across 30 campaigns.

A doctype, a character set declared in the document, balanced tags and unique identifiers. Each client repairs incomplete markup its own way, which is what makes rendering unpredictable. End tags that HTML makes optional do not count.

What was measured — 4 met out of 4

- Doctype declared on 30 campaigns Met
- Character set declared in the HTML on 30 campaigns Met
- Balanced tags on 30 campaigns Met
- Unique identifiers on 30 campaigns Met

WHATWG · PM-TECH-030

Every link leads somewhere Partly met

7.7 / 10 pts

Some links lead nowhere (7 of 30 campaigns concerned)

7.7 points out of 10 — met on 23 of 30 campaigns concerned.

How to fix it

Every link has an absolute https target; no `href="#"`, no `href=""`, no relative link and no `mailto:` without an address. Empty links most often come from a block copied from an earlier template, or from a button whose URL was never filled in in the editor.

An empty link loses the click and signals a message put together in a hurry; the fix is a review of the link list before sending, which most editors offer.

Met when no link is empty, reduced to "#" or written as "javascript:". Such a link leads nowhere, and most clients neutralise it. Not applicable if the message contains no link.

Postmetry · PM-TECH-031

No remote stylesheet Met

10 pts

No remote stylesheet on 30 campaigns

10 points out of 10 — met on 30 of 30 campaigns concerned.

Met when the message calls no external stylesheet, through “link” or “@import”. Several clients never load them. A font stylesheet does not count: without it, the text falls back to another font.

caniemail · PM-TECH-020 · <link> in an email — support by client (https://www.caniemail.com/features/html-link/)

The message follows the shape of an email — Met

5 pts

The message follows the shape of an email on 30 campaigns

5 points out of 5 — share of observations met across 30 campaigns.

Lines of 998 bytes at most, readable Message-ID and Date, a character set announced on every text part, a transfer encoding consistent with the content (RFC 5322, RFC 2045). Most servers tolerate these deviations, each in its own way.

What was measured — 5 met out of 5

- Lines of 998 bytes at most on 30 campaigns — Met
- Well-formed Message-ID on 30 campaigns — Met
- Readable date on 30 campaigns — Met
- Character set announced on every text part on 30 campaigns — Met
- Consistent transfer encoding on 30 campaigns — Met

RFC 5322 · RFC 2045 · PM-TECH-010

Experience

70
out of 100

Four questions about what becomes of the message once received: does it stay understandable, can the recipient still act, can a client render it, can a screen display it. Automatic detection only covers what is declared in the message.

WCAG 2.2 ↗ (https://www.w3.org/TR/WCAG22/) Method, Experience family

better than 70% of the 503 brands measured

The calculation · 70 pts out of 100

5 partly met · 1 not met · 1 bonus

25	15	15	10	20	15

Weight of each criterion in the score.

The message makes sense without its images, from the inbox on — Partly met

20.8/25 pts

Preheader missing, too short or too long (10 of 30 campaigns concerned) (1 of 2 measures met)

20.8 points out of 25 — share of observations met across 30 campaigns.

How to fix it

A preheader of 40 to 130 characters, in real text, follows the subject in the inbox; every meaningful image has an `alt` attribute that says what it shows; the main message is in text, not inside an image. In the editor, the preheader is a dedicated field, and the `alt` is filled in image by image.

Half of readers see the message without images when it first opens. An `alt` and a preheader take a minute per campaign.

Met when the message keeps at least 200 readable characters with images blocked, and a preheader of 40 to 130 characters announces it in the message list. Without a preheader, the inbox shows the first text of the body instead — often “View in browser”.

What was measured — 1 met out of 2

- At least 200 characters remain readable with images blocked on 30 campaigns Met
- Preheader missing, too short or too long (10 of 30 campaigns concerned) Partly met

Postmetry · PM-EXP-001

The message can be rendered outside HTML Not met

0/15 pts

No plain-text version accompanies the message on the 30 campaigns concerned (0 of 1 measures met)

0 points out of 15 — share of observations met across 30 campaigns.

How to fix it

The text version (`text/plain`) comes with the HTML and carries the content and the links, not just a sentence saying “open this message in your browser”. Email platforms generate it from the HTML when the option is on (“auto-generate plain text”).

This is the version that watches, screen readers and some business clients read; spam filters also use it, comparing the two versions.

Met when a text version comes with the email and carries the essentials: at least 60% of its text and 80% of its links. A client that does not display HTML falls back on it; reduced to “view the web version”, it renders nothing.

What was measured — 0 met out of 1

- No plain-text version accompanies the message on the 30 campaigns concerned Not met
- The text version carries the message's text Not applicable
- The text version carries the message's links Not applicable

Postmetry · PM-EXP-002

All links stay visible with images blocked Partly met

8.5/15 pts

Some links become invisible with images blocked (13 of 30 campaigns concerned)

8.5 points out of 15 — met on 17 of 30 campaigns concerned.

How to fix it

Every important action (main button, unsubscribe) exists as text or as an HTML button, not only as a clickable image. For an image button, an `alt` that names the action and a background colour on the cell keep the area visible even without the image.

With images blocked, an image button becomes an empty rectangle: the reader does not know where to click.

Met when no link is carried by a single image without alternative text: such a link leaves nothing on screen. Not applicable if the message contains no links.

Postmetry · PM-EXP-003

Tap targets large enough Partly met

9/10 pts

Tap targets under the retained size (3 of 30 campaigns concerned)

9 points out of 10 — met on 27 of 30 campaigns concerned.

How to fix it

Links and buttons are at least 24 px tall, with space between two neighbouring links; an HTML button (a table cell with background and padding) reaches that size without an image. Small footer links are separated by a line break rather than by a |.

On a phone, a target smaller than a finger gets missed or the tap lands next to it; 24 px is the WCAG 2.2 level AA minimum.

Met when no sized tap target falls below 24 px a side (WCAG 2.2, criterion 2.5.8). Only targets with a declared dimension are measured; the criterion's exceptions — a target within a line of text, sufficient spacing — are not. Not applicable if the message declares no dimensions.

WCAG 2.2 — 2.5.8 · PM-EXP-004

WCAG 2.2 — Target Size (Minimum), success criterion 2.5.8, level AA (https://www.w3.org/TR/WCAG22/#target-size-minimum)

The message stays readable with assistive technology

Partly met

12.7 / 20 pts

The message puts obstacles in the way of assistive technology — 2 of 4 measures met

12.7 points out of 20 — share of observations met across 30 campaigns.

How to fix it

Four fixes, all in the template: declare the message language on the `<html>` tag (`lang="en"` for an email in English), describe each content image in its `alt` attribute, mark layout tables with `role="presentation"`, and write links that say where they lead rather than “click here”.

The criterion detail shows which ones are missing from your emails; the others are already met.

A decorative image — divider, spacer — keeps an empty `alt=""`: that is what keeps it silent, not an oversight.

Declared language, described content images, layout tables marked as such, link texts that say where they lead: what a screen reader needs to render the message. The detail says which of these measures is missing.

What was measured — 2 met out of 4

- Message language declared on 30 campaigns — Met
- Some content images are not described (14 of 30 campaigns concerned) — Partly met
- Layout tables marked as such on 30 campaigns — Met
- Some links do not say where they lead on the 30 campaigns concerned — Not met

WCAG 2.2 · RGAA · PM-EXP-005

HTML Standard — The lang and xml:lang attributes (https://html.spec.whatwg.org/multipage/dom.html#the-lang-and-xml:lang-attributes)

HTML Standard — Requirements for providing text to act as an alternative for images (https://html.spec.whatwg.org/multipage/images.html#alt)

The message declares its adaptation to screens

Partly met

14 / 15 pts

Viewport not declared (4 of 30 campaigns concerned) (1 of 2 measures met)

14 points out of 15 — share of observations met across 30 campaigns.

How to fix it

The HTML has a `<meta name="viewport" content="width=device-width">` tag and `@media` rules that adapt the width and the columns below 600 px; the fixed 600 px width only holds for desktop clients. Modern editors produce them; an old or hand-made template often lacks them.

Without these rules, the message shows at 600 px on a 390 px screen: zooming required, unreadable text, links too small.

Met when the message declares its viewport and its adaptation to screen width. Without them, it displays on a phone at its original width, and is read by zooming and scrolling sideways.

What was measured — 1 met out of 2

- Viewport not declared (4 of 30 campaigns concerned) Partly met
- Adaptation to screen width declared on 30 campaigns Met

W3C · PM-EXP-026 · CSS Device Adaptation — the viewport tag (https://www.w3.org/TR/css-device-adapt-1/) Media Queries Level 4 (https://www.w3.org/TR/mediaqueries-4/)

Dark mode declared

Bonus point earned

+5 pts

The message declares its support for dark mode on 30 campaigns

5 points out of 5 — met on 30 of 30 campaigns concerned.

Earned when the message declares `color-scheme` or a `prefers-color-scheme` rule. No standard requires it — clients that force dark mode invert the colors themselves — but declaring it leaves control to the template rather than to the mail client.

caniemail · PM-EXP-027

Reading notes

How to read this page

01 **A criterion that is not observable or not applicable leaves the calculation.** It stays listed, never counted as zero: its weight leaves the denominator rather than weighing as a failure.

02 Each line describes an **observable finding**, with the excerpt that establishes it. No legal qualification is ever attached to it.

03 The measurements come from **deterministic analyzers**: the same message always gives the same result, and a disputed finding can be redone identically from the archive.

04 Every share is published **on an observed basis**, and names it: “26 of 30 brands analyzed.” A brand with no email received enters no denominator.

05 The **deliverability score is borrowed**: its verdict comes from the server that received the message. All the other families come from our own analyzers.

Does this analysis speak to you?

Let's go through it together, in 20 minutes.

We go over the 13 points with you, the evidence for each and the order in which to fix them. By video call, no commitment.

Pick a time slot : https://cal.com/noam-ouaknine-ecibnn/20min (https://cal.com/noam-ouaknine-ecibnn/20min)

Get Oscaro's changes

One email when a criterion changes state, nothing else.

Do you work at Oscaro?

Claim the brand: transactional emails, alerts, dated evidence.

The Pro version

Full history, before and after, alerts.

This report can also be read online, with a preview of each email:
https://postmetry.com/en/marque/oscaro/